



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/603,938

06/26/2003

Isabelle Lallemant

Q71242

3415

23373 7590 02/11/2008
SUGHRUE MION, PLLC
2100 PENNSYLVANIA AVENUE, N.W.
SUITE 800
WASHINGTON, DC 20037

EXAMINER

JACYNA, J CASIMER

ART UNIT

PAPER NUMBER

3754

MAIL DATE

DELIVERY MODE

02/11/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/603,938	Applicant(s) LALLEMANT ET AL.	
	Examiner J. Casimer Jacyna	Art Unit 3754	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 September 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6,8,9,11-14 and 17-26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-6,8,9,11-14 and 17-26 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claim 13 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Note that the numerals in parenthesis are not considered part of the claim wherein the dispensing piece is claimed as including a side facing the sheet and an opposite side facing the same sheet which defines a physically impossible structure.

4. Claims 1, 8, 14, 17, 18 and 23-26 are rejected under 35 U.S.C. 102(b) as being anticipated by Grant (4,657,159). Grant discloses a fluid reservoir including two sheets 2, 6, that define a reservoir 8 with 2 being a deformable wall, a dispensing orifice 4, a closure member 16, and a dispensing piece made in one piece integral construction with the sheet 2 that includes a concave dish the center of which is the outlet 4 as shown in figures 1 and 2.

5. Claims 2-6, 9, 11-13 and 19-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Grant (4,657,159) in view of Provenza (2003/0205583). Grant discloses a fluid dispenser substantially as claimed but does not disclose any side bars. However, Provenza teaches another fluid dispenser having side bars 14 that become radially oriented near the outlet for the purpose of channeling fluid toward the outlet. Therefore, it would have been obvious to one of ordinary skill in the art at the time the

invention was made to provide the dispenser of Grant with side bars as, for example, taught by Provenza in order to channel fluid toward the outlet.

6. Claims 2-6, 11 and 19-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Grant (4,657,159) in view of Sasaki et al. (5,566,851). Grant discloses a fluid dispenser substantially as claimed but does not disclose any side bars. However, Sasaki teaches another fluid dispenser having side bars 35 for the purpose of channeling fluid toward the outlet. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the dispenser of Grant with side bars as, for example, taught by Sasaki in order to channel fluid toward the outlet.

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Laker teaches another flexible dispenser with a closure attached to the opposite sheet from the outlet. Frazier et al. teaches another dispenser with side and radial channels.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to J. Casimer Jacyna whose telephone number is 571-272-4889. The examiner can normally be reached on Wed. thru Fri. 9AM-7PM, Mon. 7AM-1PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Shaver can be reached on 571-272-4720. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. Casimer Jacyna/

Primary Examiner, Art Unit 3754